

GERMAX

Rakt rör

Nom storl (DN) mm	Hållfast- hetsklass	Rörgods- t mm	Bygglängd l mm	Längd L mm	Utv diam D mm	Max vinkel- ändring °	Vikt kg/st	Area m ²	Produktnr
400PG	110	72	2200	2285	635	2,1	640	0,126	820.042211
	165	72	2200	2285	635	2,1	640	0,126	820.042216
500 PG	110	85	2200	2285	700	1,8	900	0,196	820.052211
	165	85	2200	2285	700	1,8	900	0,196	820.052216
600 PG	110	85	2200	2285	800	1,5	1030	0,283	820.062211
	165	85	2200	2285	800	1,5	1030	0,283	820.062216
800 PG	110	127	2200	2300	1040	1,1	1930	0,503	820.082211
	165	127	2200	2300	1040	1,1	1930	0,503	820.082216
1000 PG	110	128	2200	2300	1250	1,2	2420	0,785	820.102211
	165	128	2200	2300	1250	1,2	2420	0,785	820.102216
1200	110	135	2200	2300	1470	0,3	3260	1,131	820.122211
	165	135	2200	2300	1470	0,3	3260	1,131	820.122216
1400	110	157	2200	2300	1714	0,3	4370	1,54	820.142211
	165	157	2200	2300	1714	0,3	4370	1,54	820.142216
1600	110	172	1500	1620	1944	0,3	3670	2,011	820.161511
	165	172	1500	1620	1944	0,3	3670	2,011	820.161516
1800	110	192	1500	1620	2184	0,3	4570	2,545	820.181511
	165	192	1500	1620	2184	0,3	4570	2,545	820.181516
2000	110	207	1500	1620	2414	0,2	5390	3,142	820.201511
	165	207	1500	1620	2414	0,2	5390	3,142	820.201516
2200	110	215	1500	1620	2630	0,2	6100	3,8	820.221511
	165	215	1500	1620	2630	0,2	6100	3,8	820.221516
2500 PG	110	280	1500	1675	3060	1,2	9100	4,91	820.251511
	165	280	1500	1675	3060	1,2	9100	4,91	820.251516
2700	110	230	1500	1625	3160	0,2	8000	5,72	820.271511
	165	230	1500	1625	3160	0,2	8000	5,72	820.271516

Kortrör

Nom (DN) mm	Hållfasthetsklass	Rörgodst mm	Bygglängd l mm	Längd L mm	Utv diam D mm	Vikt kg/st	Produktnr
400 PG	165	60	500	585	635	140	822.0405
400 PG	165	60	1000	1085	635	230	822.0410
500 PG	165	100	1000	1085	700	450	822.0510
600 PG	165	100	1000	1085	800	530	822.0610
800 PG	165	127	1000	1100	1040	825	822.0810
1000 PG	165	128	1000	1100	1250	1100	822.1010
1200	165	135	1000	1100	1470	1490	822.1210
1400	165	157	1000	1100	1714	1910	822.1410
1600	165	172	750	870	1944	1750	822.1607
1800	165	192	750	870	2184	2200	822.1807
2000	165	207	750	870	2414	2625	822.2007

Spetsvärdare

Nom (DN) mm	Hållfasthetsklass	Rörgodst mm	Bygglängd l mm	Utv diam D mm	Vikt kg/st	Produktnr
400 PG	165	60	500	520	92	824.0405
500 PG	165	100	1000	670	330	824.0510
600 PG	165	90	1000	780	540	824.0610
800 PG	165	127	1000	1040	750	824.0810
1000 PG	165	128	1000	1250	1000	824.1010
1200	165	135	1000	1470	1490	824.1210
1400	165	157	1000	1714	1910	824.1410
1600	165	172	750	1944	1910	824.1607
1800	165	192	750	2184	2200	824.1807
2000	165	207	750	2414	2625	824.2007

Krokrör

Nom storlek	Hållfast-	Rörgods	Bygglängd	Radie	Vikt	
DN x v ° mm	hetsklass	t mm	l mm	r mm	kg/st	Produktnr
500x5	165	95	210	700	95	826.0505
500x10	165	95	270	780	120	826.0510
500x15	165	95	330	700	150	826.0515
500x22,5	165	95	425	700	190	826.0522
600x5	165	95	220	780	120	826.0605
600x10	165	95	285	780	160	826.0610
600x15	165	95	355	780	190	826.0615
600x22,5	165	95	440	780	240	826.0622
800x5	165	120	205	1320	180	826.0805
800x10	165	120	320	1320	270	826.0810
800x15	165	120	435	1320	390	826.0815
800x22,5	165	120	610	1320	510	826.0822

Trumöga lutning 1:1

DN mm	Ände	Bygglängd mm	Vikt kg/st	Produktnr
225 PG	muff	950	110	829.0210
225 PG	muff inkl galler	950	110	829.0211
225 PG	spets	950	110	829.0220
225 PG	spets inkl galler	950	110	829.0221
300 PG	muff	1100	160	829.0310
300 PG	muff inkl galler	1100	160	829.3011
300 PG	spets	1100	160	829.0320
300 PG	spets inkl galler	1100	160	829.0321
400 PG	muff	1300	330	829.0410
400 PG	muff inkl galler	1300	330	829.0411
400 PG	spets	1300	330	829.0420
400 PG	spets inkl galler	1300	330	829.0421
500 PG	muff	1400	400	829.0510
500 PG	muff inkl galler	1400	400	829.0511
500 PG	spets	1400	400	829.0520
500 PG	spets inkl galler	1400	400	829.0521
600 PG	muff	1400	580	829.0610

600 PG	muff inkl galler	1400	580	829.0611
600 PG	spets	1400	580	829.0620
600 PG	spets inkl galler	1400	580	829.0621
800 PG	muff	1500	800	829.0810
800 PG	muff inkl galler	1500	800	829.0811
800 PG	spets	1500	800	829.0820
800 PG	spets inkl galler	1500	800	829.0821
1000 PG	muff	1600	1200	829.1010
1000 PG	muff inkl galler	1600	1200	829.1011
1000 PG	spets	1600	1200	829.1020
1000 PG	spets inkl galler	1600	1200	829.1021
1200	muff	1600	1600	829.1210
1200	muff inkl galler	1600	1600	829.1211
1200	spets	1600	1600	829.1220
1200	spets inkl galler	1600	1600	829.1221
1400	muff	2200	3000	829.1410
1400	muff inkl galler	2200	3000	829.1411
1400	spets	2200	3000	829.1420
1400	spets inkl galler	2200	3000	829.1421

Trumöga 1:2

DN mm	Ände	Bygglängd mm	Vikt kg/st	Produktnr
225 PG	muff	1100	110	829-410212
225 PG	spets	1100	110	829-410222
300 PG	muff	1400	160	829-410312
300 PG	spets	1400	160	829-410322
400 PG	muff	1600	330	829-410412
400 PG	spets	1600	330	829-410422
500 PG	muff	1700	400	829-410512
500 PG	spets	1700	400	829-410522
600 PG	muff	1800	580	829-410612
600 PG	spets	1800	580	829-410622
800 PG	muff	2200	800	829-410812
800 PG	spets	2200	800	829-410822
1000 PG	muff	2200	1200	829-411012
1000 PG	spets	2200	1200	829-411022

1200 PG	muff	2200	1600	829-411212
1200 PG	spets	2200	1600	829-411222
1400 PG	muff	2200	3000	829-411412
1400 PG	spets	2200	3000	829-411422

Trumöga 1:3

DN mm	Ände	Bygglängd mm	Vikt kg/st	Produktnr
225 PG	muff	1300	110	829-410213
225 PG	spets	1300	110	829-410223
300 PG	muff	1600	160	829-410313
300 PG	spets	1600	160	829-410323
400 PG	muff	1900	330	829-410413
400 PG	spets	1900	330	829-410423
500 PG	muff	2200	400	829-410513
500 PG	spets	2200	400	829-410523
600 PG	muff	2200	580	829-410613
600 PG	spets	2200	580	829-410623
800 PG	muff	2200	1400	829-410813
800 PG	spets	2200	1400	829-410823
1000 PG	muff	2200	1500	829-411013
1000 PG	spets	2200	1500	829-411023
1200 PG	muff	2200	1600	829-411213
1200 PG	spets	2200	1600	829-411223